CONTENTS
Vol. 29, No. 1, January 1989

Hoffmann, U. and Löwe, A. **001** Behavior of catalytic exhaust converters from the standpoint of reaction engineering, *Chemie-Ingenieur-Technik* **58**, No. 10 (1986), Federal Republic of Germany.

Eigenberger, G. and Schuler, H. **012** Reactor stability and safe reaction engineering, *Chemie-Ingenieur-Technik* **58**, No. 8 (1986), Federal Republic of Germany.

Bürkholz, A. **026** Description of particle collection by inertial forces using a group derived by dimensional analysis, *Chemie-Ingenieur-Technik* **58**, No. 7 (1986), Federal Republic of Germany.

Le Goff, P. and Steranka, P. **038** Mixomechanical machines: 1. General principles. Mechanical vapor-recompression and its inverse, *Entropie* **22**, No. 129 (1986), France.

Odgers, J., Halpin, J., and Kretschmer, D. **048** Prediction of the lower limits of combustion of premixed gases, *Entropie* **22**, No. 130/131 (1986), France.

Degiovanni, A., Sinicki, G., Gery, A., and Laurent, M. **057** A steady state model of the thermal resistance due to contact between cylinders, *Revue Générale de Thermique* **23**, No. 267 (1984), France.

Hadi, A. and Degiovanni, A. **072** Transient measurement of the heat transfer coefficient along a fin in an enclosed space, *Revue Générale de Thermique* **22**, No. 304 (1987), France.

Corella, J., Aznar, M.P., and Monzon, A. **086** Kinetics of catalyst deactivation by nonsimple mechanisms with adsorption/association at two or more active sites, *Anales de Quimica de la Real Sociedad Española de Quimica* **83**, No. 1 (1987), Spain.

Kasaoka. S., Kakata, Y., Tanaka, E., and Naitoh, R. **101** Preparation of activated fibrous carbon from phenolic fabric and its molecular-sieve properties, *Nippon Kagaku Kaishi*, No. 6 (1987), Japan.

Ogawa, K. and Kuroda, C. **115** A method of measuring the flow in pipelines, *Sekiyu Gakkaishi* **30**, No. 1 (1987), Japan.

Morooka, S., Yasutake, T., Kobata, A., Ikemizu, K., and Kato, Y. **119** A mechanism for the production of ultrafine particles of TiO_2 by a gas-phase reaction, *Kagaku Kogaku Ronbunshu* **13**, No. 2 (1987), Japan.

Akita K. **127** Effect of the electrolyte on the mass transfer characteristics of a bubble column, *Kagaku Kogaku Ronbunshu* **13**, No. 2 (1987), Japan.

CONTENTS
Vol. 29, No. 1, January 1989

Hoffmann, U. and Löwe, A. **001** Behavior of catalytic exhaust converters from the standpoint of reaction engineering, *Chemie-Ingenieur-Technik* **58**, No. 10 (1986), Federal Republic of Germany.

Eigenberger, G. and Schuler, H. **012** Reactor stability and safe reaction engineering, *Chemie-Ingenieur-Technik* **58**, No. 8 (1986), Federal Republic of Germany.

Bürkholz, A. **026** Description of particle collection by inertial forces using a group derived by dimensional analysis, *Chemie-Ingenieur-Technik* **58**, No. 7 (1986), Federal Republic of Germany.

Le Goff, P. and Steranka, P. **038** Mixomechanical machines: 1. General principles. Mechanical vapor-recompression and its inverse, *Entropie* **22**, No. 129 (1986), France.

Odgers, J., Halpin, J., and Kretschmer, D. **048** Prediction of the lower limits of combustion of premixed gases, *Entropie* **22**, No. 130/131 (1986), France.

Degiovanni, A., Sinicki, G., Gery, A., and Laurent, M. **057** A steady state model of the thermal resistance due to contact between cylinders, *Revue Générale de Thermique* **23**, No. 267 (1984), France.

Hadi, A. and Degiovanni, A. **072** Transient measurement of the heat transfer coefficient along a fin in an enclosed space, *Revue Générale de Thermique* **22**, No. 304 (1987), France.

Corella, J., Aznar, M.P., and Monzon, A. **086** Kinetics of catalyst deactivation by nonsimple mechanisms with adsorption/association at two or more active sites, *Anales de Quimica de la Real Sociedad Española de Quimica* **83**, No. 1 (1987), Spain.

Kasaoka. S., Kakata, Y., Tanaka, E., and Naitoh, R. **101** Preparation of activated fibrous carbon from phenolic fabric and its molecular-sieve properties, *Nippon Kagaku Kaishi*, No. 6 (1987), Japan.

Ogawa, K. and Kuroda, C. **115** A method of measuring the flow in pipelines, *Sekiyu Gakkaishi* **30**, No. 1 (1987), Japan.

Morooka, S., Yasutake, T., Kobata, A., Ikemizu, K., and Kato, Y. **119** A mechanism for the production of ultrafine particles of TiO_2 by a gas-phase reaction, *Kagaku Kogaku Ronbunshu* **13**, No. 2 (1987), Japan.

Akita K. **127** Effect of the electrolyte on the mass transfer characteristics of a bubble column, *Kagaku Kogaku Ronbunshu* **13**, No. 2 (1987), Japan.

Shirato, M., Murase, T., Iwata, M., Ito, K., Takagi, N., and Yoshida, H. **136** Efficiency of separation of a dilute slurry in an electric field in a horizontal, rectangular settling tank with fins, *Kagaku Kogaku Ronbunshu* **13**, No. 2 (1987), Japan.

Taoda, H. and Hayakawa, K. **144** Thermal oxidative aging of pentaerythritol used as a latent-heat-type thermal storage material, *Kagaku Kogaku Ronbunshu* **13**, No. 1 (1987), Japan.

Kawai, Y., Kikuma, T., Matsumoto, S., and Suzuki, M. **152** Control of the axial temperature distribution in a moving-bed adsorber, *Kagaku Kogaku Ronbunshu* **13**, No. 1 (1987), Japan.

Matsumoto, S. and Yoshida, M. **158** A method of design for a controller for a parabolic-type, distributed-parameter system. Application to one-dimensional thermal conduction, *Kagaku Kogaku Ronbunshu* **13**, No. 2 (1987), Japan.

Bak, Y.C., Son, J.E., and Kim, S.D. **166** Heat transfer characteristics of a vertical tube in a fluidized-bed combustor, *Hwahak Konghak* **23**, No. 4 (1985), Republic of Korea.

Tukač, V. and Hanika, J. **177** The effect of mass transfer on the oxidation of ethanol in a trickle-bed reactor, *Chemiský Průmysl* **36**, No. 10 (1988), Czechoslovakia.

Čerňanský, A. **182** Maximum dimensions of particles passing through a diaphragm for filtration, *Chemický Průmysl* **36**, No. 12 (1986), Czechoslovakia.

189 International Schedule of Future Chemical Engineering Meetings.

CONTENTS
Vol. 29, No. 2, April 1989

Kast, W. and Otten, W. **197** The breakthrough in fixed bed adsorbers: methods of calculation and the effects of process parameters, *Chemie-Ingenieur-Technik* **59**, No. 1 (1987), Federal Republic of Germany.

Borgwardt, V., Petroll, J., and Scholtz, J. **212** The effect of particle size on the efficiency of separation by an electrostatic precipitator, *Hungarian Journal of Industrial Chemistry* **12**, (1984), Hungary.

Steranka, P. and Le Goff, P. **221** Mixomechanical machines: 2. Examples of applications to the storage of electricity, *Entropie* **22**, No. 129 (1986), France.

Jeday, M.R., Steranka, P., and Le Goff, P. **231** Mixomechanical machines: 3. Evaluation of the total cost for the storage of electricity, *Entropie* **22**, No. 129 (1986), France.

Krylov, O.V. **246** The selectivity and molecular structure of heterogeneous catalysts, *Fizicheskaya Khimiya, Sovremennye Problemy*, Moscow (1986), Soviet Union.

Shirato, M., Yamazaki, H., Murase, T., Iwata, M., and Ito, T. **271** Effect of the rotor shape on the pattern of flow in a dynamic filter chamber without permeation, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Shirotsuka, T., Onoe, K., and Nonomura, A. **279** Kinetic analysis of molecular-weight distribution in coal liquefaction. Effect of lowering of the molecular weight of primary liquefied oil, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Nishiyama, M., Kawano, T., Ototake, N., and Yutani, N. **287** Fluctuations in static pressure and the mode of flow in a three-phase fluidized bed, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Fukui, T., Watanabe, N., Kurimoto, and Matsubara, M. **295** Multivariable, periodic control experiments with a consecutive-competitive reaction in a CSTR, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Ohgaki, K., Tsukahara, I., Semba, K., and Katayama, T. **302** A fundamental study of extraction with a supercritical fluid. Solubilities of α-tocopherol, palmitic acid, and tripalmitin in compressed carbon dioxide at 25 °C and 40 °C, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Takamatsu, T. and Kinoshita, M. **309** Comparison of methods of calculation for stage-wise processes of separation using the Newton-Raphson algorithm, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Kawakami, K., Adachi, K., Minemura, N., and Kusunoki, K. **320** Characteristics of a gas-liquid-solid, three-phase, honeycomb-monolith bioreactor. Oxidation of glucose by immobilized glucose oxidase, *Kagaku Kogaku Ronbunshu* **13**, No. 3, (1987), Japan.

Mori, H., Yamada, I., Hiraoka, S., Tsuiki, T., and Moriya, A. **328** A relaxation algorithm for solving operation-type distillation problems with a chemical reaction, *Sekiyu Gakkaishi* **30**, No. 3 (1987), Japan.

Yuan, N., and Ding, F. **336** A new approximate analytical method for the estimation of the effectiveness factor of porous pelletized catalysts. The equivalent reaction-temperature approximation, *Huagong Xuebao*, No. 2 (1987), People's Republic of China.

Boussinesq, J. **343** Calculation of the cooling power of fluid currents, *Journal Mathematiques Pures et Appliquées* **1** (1905), France.

366 International Schedule of Future Chemical Engineering Meetings.

CONTENTS
Vol. 29, No. 3, July 1989

Berger, R. **377** Coalescence problems in chemical processes, *Chemie-Ingenieur-Technik* **58**, No. 6 (1986), Federal Republic of Germany.

Hong, W.-H. and Brauer, H. **388** Gas-liquid mass transfer in bubble-column reactors, *VDI-Forschungsheft*, No. 624 (1984), Federal Republic of Germany.

Ostrovskii, G.M., Zyskin, A.G., and Snagovskii, Yu. S. **435** Construction of kinetic models for complex heterogeneous reactions with the aid of a digital computer, *Fizicheskaya Khimiya, Sovremennye Problemy*, Moscow (1986), Soviet Union.

Fam, D., Dodds, J.A., Leclerc, D., and Scrivener, O. **455** Rheological characterization and pipe flow of phosphate muds, *Entropie* **22**, No. 132 (1986), France.

Chevalier, J.L., Petrino, P., and Gaston-Bonhomme, Y. **464** Method of estimating the kinematic viscosity of a liquid-phase mixture, *Entropie* **22**, No. 129 (1986), France.

Lallemand, M., Kunc, T., and Martinet, J. **473** Thermo-convective stability in radiating fluids, *Revue Général de Thermique* **22**, No. 264 (1983), France.

Huang, W. and Gu, D. **480** A study of secondary flow and fluid resistance in a rectangular, helically coiled channel, *Huagong Jixie* **14**, No. 3 (1987), People's Republic of China.

Shishido, I., Muramatsu, T., and Ohtani, S. **486** Local moisture content and stress distribution within clay during drying shrinkage, *Kagaku Kogaku Ronbunshu* **14**, No. 1 (1988), Japan.

Saito, M., Sadakata, M., Sato, M., and Sakai, T. **494** Measurement of the temperature of burning, pulverized coal, using a high-speed, two-color pyrometer, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Takahashi, H., Obata, E., and Takeuchi, T. **503** Velocity discontinuity of particles flowing down through a hopper, with analysis of the characteristic curves, *Kagaku Kogaku Ronbunshu* **113**, No. 3 (1987), Japan.

Ninomiya, Y., Yokoi, K., Arai, N., and Hasatani, M. **512** Characteristics of emission of char NO during the combustion of a single particle of coal char, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Morooka, S., Kobata, A., Yasutake, T., Ikemizu, K., and Kato, Y. **517** The size of ultrafine nickel and molybdenum particles produced by gas-phase reaction, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Ueyama, K., Tsuru, T., and Furusaki, K. **523** Flow transitions in a bubble column, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Munakata, T. and Fujiwara, A. **530** A method of evaluating the actual number of stages in interphase-contacting, multistage, mass transfer devices based on the transfer-unit concept, without using the number of ideal stages or the overall efficiency, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Okubo, T. and Inoue, H. **539** Analysis of surface diffusion of adsorptive gases through porous glass by a square-pulse method, *Kagaku Kogaku Ronbunshu* **13**, No. 3 (1987), Japan.

Kitamura, Y., Asano, M., and Takahashi, T. **547** Stability of emulsions made from kerosene and aqueous solutions of alcohol. Utilization of aqueous solutions of alcohol as an emulsified fuel, *Sekiyu Gakkaishi* **30**, No. 4, (1987), Japan.

Kwon, S.-G. and Doh, D.-S. **555** A theoretical and experimental study on the enhancement of the rate of mass transfer by the addition of suspended inert particles, *Hwahak Konghak* **23**, No. 1 (1985), Republic of Korea.

567 International Schedule of Future Chemical Engineering Meetings.

CONTENTS
Vol. 29, No. 4, October 1989

Maruoka, Y. and Brauer, H. **577** Fluid dynamics and mass transfer in a multistage rotating-disk reactor, *VDI-Forschungs-Heft* **618** (1983), Federal Republic of Germany.

Mersmann, A. and Kind, M. **616** Modeling of chemical process equipment. The design of crystallizers, *Berichte der Bunsengesellschaft für Physikalische Chemie* **90** (1986), Federal Republic of Germany.

Toussaint, P. and Bataille, P. **627** Utilization of biomass by the enzymatic method, *Entropie* **23**, No. 136 (1987), France.

Perrut, M. and Jusforgues, P. **646** A new fractionation process: preparative chromatography with a supercritical eluent, *Entropie* **22**, No. 132 (1986), France.

Boukhalfa, A., Sarh, S., and Gokalp, I. **654** The use of Rayleigh scattering to measure instantaneous temperatures in turbulent flames, *Entropie*, No. 135 (1987), France.

Watanabe, T., Honda, T., and Kanzawa, A. **663** Concentration of a plasma energy flow by a blowing gas, *Kagaku Kogaku Ronbunshu* **14**, No. 1 (1988), Japan.

Harada, E., Kuriyama, M., and Konno, H. **671** Heat transfer between the wall and a solid-liquid suspension flowing through a horizontal, rectangular duct, *Kagaku Kogaku Ronbunshu* **14**, No. 2 (1988), Japan.

Tabei, K., Hasatani, M., and Kuroda, M. **679** Effective gas-liquid interfacial area in a mobile-bed contactor, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Okuda, S., Takano, H., and Yamamura, T. **689** Characteristics of multiple light-scattering from highly concentrated, monodispersed aerosols, *Kagaku Kogaku Ronbunshu* **13**, No. 5 (1987), Japan.

Kamiwano, M., Saito, F., Kurata, Y., and Takino, H. **699** Method for measurement of turbulence by high-speed image-processing using an area-array sensor, *Kagaku Kogaku Ronbunshu* **13**, No. 6 (1987), Japan.

Nomura, T., Nakao, S., and Kimura, S. **707** Influence of the temperature of the feed on ultrafiltration, *Kagaku Kogaku Ronbunshu* **13**, No. 6 (1987), Japan.

Kuriyama, M., Harada, E., and Konno, H. **715** Enhancement of heat transfer from horizontal tube-banks by the use of a corona wind, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Nishimura, M., Bando, Y., Kuraishi, M., and Hahne, E. W. P. **722** Direct storage of solar thermal energy using a semitransparent PCM—an indoor experiment under constant incidence of radiation, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Nakagawa, K. **729** Measurement of diameter of bubbles in a bubble swarm in water by the response to a sound pulse method, *Kagaku Kogaku Ronbunshu* **13**, No. 4 (1987), Japan.

Kasaoka, S., Sakata, Y., Tanaka, E., and Naitoh, R. **734** Design of molecular-sieve carbon. Studies on the adsorption of various dyes in the liquid phase, *Nippon Kagaku Kaishi*, No. 12 (1987), Japan.

Feng, C. **743** Thermal stability of a continuous-flow stirred-tank reactor (CSTR) under stationary-state nonadiabatic conditions, *Huagong Xuebao*, No. 1 (1987), People's Republic of China.

Yu, M. and Zhou, Z. **747** Determination of mass transfer coefficients on trays, *Huagong Xuebao*, No. 1 (1987), People's Republic of China.

Hu, W. and Fu, Y. **753** Investigation of chemisorption and disproportionation of CO and its reaction with H_2O by temperature-programmed heating, *Ranliao Huaxue Xuebao* **15**, No. 1 (1987), People's Republic of China.

Huang, H. and Zhang, B. **760** The similarity between the gas-phase $C-H_2O$ and $C-CO_2$ reactions in the same catalytic systems for gasification, *Ranliao Huaxue Xuebao* **15**, No. 1 (1987), People's Republic of China.

Dong, W., Yan, H., and Zhang, L. **765** Dynamic simulation for a multistage countercurrent extraction process, *Huagong Xuebao*, No. 2 (1987), People's Republic of China.

773 Errata.

774 *Index of Authors, Volume 29, Nos. 1, 2, 3, and 4 (1989).*

778 *Contents, Volume 29, Nos. 1, 2, 3, and 4 (1989).*

784 *International Schedule of Chemical Engineering Meetings.*